

EURO
SERIES



300x600MM
DIGITAL WALL TILES

EVERY SINGLE PLACE INSPIRES US TO CREATE NEW LIVING

Inputting scholar manpower at work along with the state of the art technology, has achieved the title to epitome of Ceramic tiles manufacturer. The company intends to serve the best with high quality and accuracy, in result bringing the gratifying innovation to the market. The company's philosophy says that they don't merely manufacture but create art and craft visuals that surpass the general beauty standards.

was pioneered in Morbi with a vision to combine the 5 elements of mother nature; Air, fire, water, earth, space and process them to get a output that has all the qualities of these components. Company intended to modify the nature to develop something so beautiful that elevates your ambience and leaves everyone in awe of the inspiring decor you bring to them.

The state of the art technology coupled with exciting design support, made the company become the leader in wall tiles in India. Internationally, the company has done extremely well in expanding its market base in very short period. Its Distribution channels and excellent brand image make the company a favourite of the distributors across India. The styles and the new introductions are always waited for and cherished.

Our Mission

We intend to conduct our business in a way that not only meets but exceeds the Expectations of our customers, business partners, distributors, buyers and creditors, as Well as the communities in which we operate and society at large. As a part of our mission we will

- Empower and train our employees to deliver better work outputs.
- We will introduce the designs that become the new trend, benefiting our customers.
- We will make our products easily available and largely affordable to make our distributors and importers profitable.
- We will make all our actions socially and morally responsible



Our Technologies

The Plant consists a Heavy Capacity Presses, (Made in Italy) Glazed Lines, Roller Kilns (All Made in Italy), Boil Mill Grinding Unit, Spray Dryer Made in China. Raw Material is procured from famous supplier and being brought from Rajasthan and also imported from Ukraine.



Technology-Certified





THE RESULT OF A REVOLUTIONARY TECHNOLOGY THAT **ELIMINATES**

IWe bring the revolutionary mechanism to manufacture modern tile collection. The technical know-how we use has the most upgraded version that can create great designs for your decor.

Merely technology can not bring the results we intend to provide. Our exceptional scholars put in their best work in their knowledge to get a output that not only satisfies our customers but make us the leading manufacturer as the best quality providers.

Superior technical characteristics of our wall tiles makes them suitable for use as work tops of all kinds, with a visual appeal that equals and even surpasses that of any other material.

With the help of pressure and temperature we transform 100% natural materials into porcelain surface which combines the best of ceramics design with natural stone resistance.



FROST
RESISTANCE



CHEMICAL
RESISTANCE



WATERPROOF




THERMAL
RESISTANCE



STAIN
RESISTANCE



FIREPROOF



MATT

collection

The intriguing decorative textures and surfaces
the detail of personality that embellishes and
attracts for the air elegant that gives the space.

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20108



LT



HL1



HL2



LT

20108



LT



HL3




HL4



LT

20108



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20108



LT



HL7



HL8



LT


20108



LT



HL9




HL10



LT


20108



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20109



LT



HL1



HL2




LT

20109



LT



HL3



HL4



LT

20109



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20109



LT



HL7



HL8



LT


20109




LT



HL9



HL10



LT

20109



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20110



LT



HL1



HL2



LT


20110



LT



HL3



HL4



LT


20110



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20110



LT



HL7



HL8



LT

20110



LT



HL9



HL10



LT

20110



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20111



LT



HL1



HL2



LT

20111



LT



HL3



HL4



LT

20111



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20111



LT



HL7



HL8



LT

20111



LT



HL9



HL10



LT

20111



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20112



LT



HL1



HL2



LT

20112



LT



HL3



HL4



LT

20112



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20112



LT



HL7



HL8



LT

20112



LT



HL9



HL10



LT

20112



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20113



LT



HL1




HL2



LT

20113



LT



HL3




HL4



LT


20113



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20113



LT



HL7




HL8



LT


20113



LT



HL9



HL10




LT

20113



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20114



LT



HL1



HL2



LT

20114



LT



HL3



HL4



LT

20114



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20114



LT



HL7



HL8



LT

20114



LT



HL9



HL10



LT

20114



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20115



LT



HL1



HL2




LT

20115



LT



HL3



HL4



LT


20115



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20115



LT



HL7



HL8



LT


20115



LT



HL9



HL10



LT


20115



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20116



LT



HL1



HL2




LT

20116



LT



HL3



HL4



LT

20116



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20116



LT



HL7



HL8



LT

20116



LT



HL9



HL10



LT

20116



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20117



LT



HL1



HL2



LT

20117



LT



HL3



HL4



LT

20117



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant



Resistant to
Staining

EURO
SERIES


20117



LT



HL7



HL8



LT


20117



LT



HL9



HL10



LT

20117



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20118



LT



HL1



HL2



LT


20118



LT



HL3



HL4



LT

20118



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20118



LT



HL7



HL8



LT

20118



LT



HL9



HL10



LT

20118



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20119



LT



HL1



HL2



LT

20119



LT



HL3



HL4



LT

20119



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20119



LT



HL7




HL8



LT

20119



LT



HL9



HL10



LT

20119



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant




Resistant to
Staining

EURO
SERIES

20120




LT



HL1




HL2



LT


20120



LT



HL3




HL4



LT

20120



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant



Resistant to
Staining

EURO
SERIES


20120




LT



HL7




HL8



LT

20120




LT



HL9




HL10



LT

20120



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant




Resistant to
Staining

EURO
SERIES

20121



LT



HL1



HL2




LT


20121




LT



HL3



HL4



LT

20121



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20121



LT



HL7



HL8



LT

20121




LT



HL9




HL10



LT

20121




LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20122



LT



HL1



HL2




LT


20122



LT



HL3



HL4




LT

20122




LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant



Resistant to
Staining

EURO
SERIES


20122



LT



HL7



HL8



LT

20122



LT



HL9



HL10



LT

20122




LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20123



LT



HL1



HL2



LT

20123



LT



HL3



HL4



LT

20123



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20123



LT



HL7



HL8



LT

20123



LT



HL9



HL10



LT

20123



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20124




LT



HL1




HL2



LT

20124



LT



HL3



HL4



LT

20124



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


20124




LT



HL7




HL8



LT

20124



LT



HL9



HL10



LT

20124



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20125



LT



HL1



HL2




LT

20125



LT



HL3



HL4



LT

20125



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20125



LT



HL7



HL8



LT

20125



LT



HL9



HL10



LT


20125



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20126



LT



HL1



HL2



LT

20126



LT



HL3



HL4



LT


20126



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



EURO
SERIES

20126



LT



HL7



HL8



LT

20126



LT



HL9



HL10



LT

20126



LT



HL11



HL12



LT

300x
600MM **DIGITAL**
WALL TILES



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant




Resistant to
Staining

EURO
SERIES


20127



LT



HL1



HL2




LT

20127



LT



HL3



HL4



LT

20127



LT



HL5



HL6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20127



LT



HL7



HL8



LT

20127



LT



HL9



HL10



LT

20127



LT



HL11



HL12



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20128



LT



HL1



HL2




LT

20128



LT



HL3



HL4



LT

20128



LT



HL5



HL6



LT

300x
600MM **DIGITAL**
WALL TILES



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

20128



LT



HL7




HL8



LT

20128



LT



HL9



HL10



LT

20128



LT



HL11



HL12



LT

TECHNICAL DETAILS

Sr No.	CHARACTERISTIC	TEST METHOD	IS 15622:2013 GROUP B III	OUR VALUE
A	Dimension & Surface Quality		Rectified	Rectified
1	Deviation in Length & Width	IS - 13630 - 1	± 0.3%	± 0.1%
2	Deviation in Thickness	IS - 13630 - 1	± 5.0%	± 3.0%
3	Straightness of Side	IS - 13630 - 1	, +/-0.15%	± 0.1%
4	Rectangularity	IS - 13630 - 1	± 0.2%	± 0.15%
5	Surface Flatness	IS - 13630 - 1	± 0.3%	± 0.2%
6	Surface Quality	IS - 13630 - 1	95% of The Tiles Free From Visible Defect	95%
B	Physical Properties			
1	Water Absorption	IS - 13630 - 2	10 - 20%	18%
2	Modulus Of Rapture	IS - 13630 - 6	>15 N/MM ²	>17 N/MM ²
3	Flexure Breaking Strength	IS - 13630 - 6	>600 N	>700 N
4	Moisture Expansion	IS - 13630 - 3	0.04% Max.	0.01% Max.
5	Scratch Hardness (Moh's)	IS - 13630 - 13	Min. 3	Min. 3
6	Resistance of Surface Abrasion	IS - 13630 - 11	Min. II	Min. II
7	Thermal Expansion	IS - 13630 - 4	$6 \times 10^{-6} \text{ K}^{-1}$	$6 \times 10^{-6} \text{ K}^{-1}$
8	Thermal Shock Resistance	IS - 13630 - 5	Min. 10 Cycles	10 Cycles Passed
9	Crazing Resistance	IS - 13630 - 9	Min. 04 Cycles	04 Cycles Passed
C	Chemical Properties			
1	Resistance to Staining	IS - 13630 - 8	Class I Min.	Class II
2	Household Chemicals	IS - 13630 - 8	Class AA Min.	Class AA
3	Acid Resistance	IS - 13630 - 8	Resistance	Resistance

PACKING DETAILS

DIMENSION	PIECES	COVERAGE
300 X 600 MM	5	0.90 Sq.Mtr.

Note:

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.